



Cixi Kent Bearing Co., Ltd.



HR32226J NSK CYLINDRICAL ROLLER BEARING

Bearing No. HR32226J

HR32226J Bearing 2D drawings and 3D CAD models

Size	130x230x67.75 mm
Bore Diameter	130 mm
Outer Diameter	230 mm
Width	67,75 mm
d	130 mm
D	230 mm
T	67,75 mm
B	64 mm
C	54 mm
a	56,9 mm
r min.	4 mm
r1 min.	3 mm
da min.	151 mm
Da min	196 mm
Da max.	216 mm
db max.	147 mm
Db min.	219 mm
ra max.	3 mm
rb max.	2,5 mm
Weight	11,3 Kg
Basic dynamic load rating (C)	530 kN
Basic static load rating (C0)	790 kN
(Grease) Lubrication Speed	1500 r/min
(Oil) Lubrication Speed	2000 r/min
Calculation factor (e)	0,44



Cixi Kent Bearing Co., Ltd.

Calculation factor (Y0)	0,76
LangID	1
outer r	3
D_	230
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	4
mass	11.3
GRS rpm	1500
D_b	219
Cr	54000
TC-RA	388
DE_	202.748
T-ALP23	40
db	147
T-ALP22	20
Prod_Type3	TRBSR_MD_A
da	151
T-ALP21	32
Iso	4FD
ALPHA_	16.173
SDM_	178.171
SBRG	22
D_a2	196
hidYobi	HR32226J
Y1	1.4
D_a1	216
B_	64
hidTable	ecat_NSTPRM
Oil rpm	2000
C0r	80500



Cixi Kent Bearing Co., Ltd.

Y0	0.76
TC-SLR	47
inner ra	3
outer rb	2.5
C0	790
Sa	7
Sb	13.5
e	0.44
DA_	25.448
Z_	19
C_	54
yobi	HR32226J
TC-DA1	27.08
TC-DA2	23.816
KBRG	3111
DI_	153.593